

Advisor Creation API

Developer Guide | API Version 1.0

Cashcow



Advisor Creation API
Developer Guide
API Version 1.0

Cashcow Web Service for Advisor Creation

The APIs created for creation of Advisor with cashcow.

URL <http://cashcow.ai/4e31e11a-c6c3-4959-8952-20a8a80b5826/API/>

Request Parameters:

Parameters	Required	Description
user_id	*	User Id As provided By Cashcow.ai.
password	*	Password As provided By Cashcow.ai.
secret_key	*	Secret Key As provided By Cashcow.ai.
function	*	Function Code '1'
method	*	Method Code.
name	*	Advisor Name
phone_no	*	10 Digit Mobile Example:9123456789
pincode	*	6 Digit Pincode value Example:123456
email	*	Email example:abc@pqr.com
occupation	*	Occupation Code Table Example: 1(for: house wife)
other	Optional	Mention Occupation if not listed in Occupation List
company_name	Optional	Non Numeric Values
address	Optional	Text

Data Parameters:

Parameters	Type	Description
user_id	Text	User Id As provided By Cashcow.ai, without white space
password	Text	Password As provided By Cashcow.ai, without white space
secret_key	Text	Secret Key As provided By Cashcow.ai, without white space
function	Int	Function Code '2'
method	Int	Method Code.
name	Text	Non Numeric Values
phone_no	Int	10 Digit Numeric Value Example:9123456789
pincode	Int	6 Digit Numeric value Example:123456
email	Text	Email example:abc@pqr.com
occupation	Int	Codes as Defined in Occupation Code Table Example: 1(for: house wife)
other	Text	Non Numeric Values
company_name	Text	Non Numeric Values
address	Text	Text

Request Example:

```
$data = array(
    'user_id' => 'user', //Required
    'password' => 'password', //Required
    'secret_key' => 'hkdfksd53sf1df', //Required

    'function' => '1', //Required
    'method' => '1', //Required

    'name' => 'Sample Name', //Required
    'phone_no' => '9000000000', //Required
    'email' => 'demo@example.com', //Required
    'company_name' => 'sample company', // optional
    'address' => 'sample address', // optional
    'occupation' => '6', //Required
    'other' => 'Other Occupation', // optional
    'pincode' => '400101', //Required
    'referredby' => '1' //optional
);
```

Response:

```
{"status": "success", "status_code": "1", "msg": "Recode Inserted"}
```

Error Response:

```
{"status": "fail", "status_code": "5", "sub_status_code": "1", "msg": "parameter mismatch"}
```

Occupation:

Type	code
House Wife	1
Retied Professional	2
LIC Agent	3
CA	4
Real Estate	5
Other *	100
* If Occupation is other then need to specify "other" occupation parameter.	

Error Table:

Error	Parameters	Description	Status Codes	Sub Error Codes	status
Authentication Error		Invalid Authentication Details	100		fail
Internal Error		Server Error	2		fail
Function		Invalid Function Code	3		fail
Method		Invalid Method Code	4		fail
Parameter Mismatch Error	Name	Non Numeric Values	5	1	fail
Parameter Mismatch Error	Phone	Invalid or empty Phone number Value Example:9123456789	5	2	fail
Parameter Mismatch Error	Email	Invalid or empty Value Email example:abc@pqr.com	5	3	fail
Parameter Mismatch Error	Pincode	Invalid or empty Pincode Value Example:123456	5	4	fail
Parameter Mismatch Error	Occupation	Invalid or Empty Occupation Code	5	5	fail
Parameter Mismatch Error	Other	Other Occupation Not Defined	5	6	fail
Duplicate Entry Error		Duplicate Entry Error	6		fail
Limit Reached Error		Insert Limit Reached(Limit)	102		fail
Operation Success		Operation Success	1		success